



Issue date 04-Dec-2023

Safety Data Sheet

Version 4

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name KILL ZONE INDOOR AND OUTDOOR INSECT KILLER
Chemical name 7-8110

Other means of identification

Product code FG 419-2177
Synonyms Flying insect killer
Registration number(s) 498-183

Recommended use of the chemical and restrictions on use

Recommended Use Flying and crawling insect killer.
Uses advised against See "USE RESTRICTIONS" on product label.

Details of the supplier of the safety data sheet

Supplier Address	Manufacturer Address
Chase Products Co.	Chase Products Co.
2727 Gardner Road	2727 Gardner Road
Broadview, IL 60155	Broadview, IL 60155
708-865-1000	708-865-1000

Emergency Telephone Number

Company Phone Number 708-865-1000
24 Hour Emergency Phone Number 1-800-255-3924
Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

This chemical is regulated by FIFRA.

Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1
Carcinogenicity	Category 1B
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

HARMFUL IF INHALED
May cause an allergic skin reaction
May cause cancer
Flammable Aerosol
Contains gas under pressure; may explode if heated

FG 419-2177 KILL ZONE INDOOR AND OUTDOOR INSECT KILLER



Appearance White, creamy emulsion.

Physical State Aerosol

Odor Characteristic odor of insecticide and petroleum distillate.

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Avoid breathing fumes, mist, vapors or spray.
 Use only outdoors or in a well-ventilated area
 Contaminated work clothing should not be allowed out of the workplace
 Wear protective gloves, protective clothing, eye protection and face protection.
 Keep away from heat, sparks, open flames and hot surfaces. — No smoking
 Do not spray on an open flame or other ignition source
 Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 Specific treatment: See additional cautionary statements on this label.
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation or rash occurs: Get medical advice/attention
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store locked up
 Protect from sunlight. Store in a well-ventilated place
 Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- Very toxic to aquatic life with long lasting effects
 - Very toxic to aquatic life
- No information available

3. Composition/information on Ingredients

Common Name Insecticide spray.
Synonyms Flying insect killer.
Chemical Family Pesticide.
Formula 7-8110
Chemical nature Oil-water emulsion.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	70-75	*
Petroleum distillates, hydrotreated light	64742-47-8	5-10	*
Propane	74-98-6	5-10	*
n-butane	106-97-8	5-10	*

FG 419-2177 KILL ZONE INDOOR AND OUTDOOR INSECT KILLER

Piperonyl Butoxide	51-03-6	0.75	*
Tetramethrin	7696-12-0	.15	*
Permethrin	52645-53-1	0.15	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advise.
Inhalation	If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.
Ingestion	Ingestion from an aerosol product is unlikely to occur. In case of accidental ingestion, do not induce vomiting unless directed by a physician. Seek medical attention immediately.

Most important symptoms and effects, both acute and delayed

Symptoms	Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if inhaled.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Note to physicians	Contains petroleum distillates, do not induce vomiting because of aspiration pneumonia hazard.
---------------------------	--

5. Fire-fighting measures

Suitable extinguishing media

CO2 (Carbon Dioxide), dry chemical, or water fog.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbon dioxide. May emit toxic gases and irritating fumes under fire conditions.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

FG 419-2177 KILL ZONE INDOOR AND OUTDOOR INSECT KILLER

Personal precautions Use with adequate general or local exhaust ventilation.

For emergency responders Remove all sources of ignition.

Environmental precautions

Environmental precautions This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). **AEROSOL STORAGE LEVEL I (NFPA-30B)**.

Incompatible Materials Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content, explosion hazard	TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³
n-butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m ³

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Rubber, vinyl or household type gloves required.

Respiratory protection None required if used in a well-ventilated area. Follow label directions and precautions for the correct use of the product.

General hygiene considerations Wash hands thoroughly after handling.

FG 419-2177 KILL ZONE INDOOR AND OUTDOOR INSECT KILLER

Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

Hazardous decomposition products

Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbon dioxide. May emit toxic fumes under fire conditions.

11. Toxicological Information

Information on likely routes of exposure

Product Information	Results below are for a very similar product with same concentration of active ingredients.
Inhalation	Acute Inhalation IV (LC50>4.31 mg/L).
Eye Contact	Primary Eye IV.
Skin contact	Acute Dermal IV (LD >5,000 mg/kg).
Ingestion	Acute Oral IV (LD50 >5,000 mg/kg).

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Propane 74-98-6	-	-	> 800000 ppm (Rat) 15 min
n-butane 106-97-8	-	-	= 658 g/m ³ (Rat) 4 h
Piperonyl Butoxide 51-03-6	= 4570 mg/kg (Rat)	= 1880 mg/kg (Rabbit)	> 5.9 mg/L (Rat) 4 h
Tetramethrin 7696-12-0	= 4640 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 1.18 mg/L (Rat) 3 h
Permethrin 52645-53-1	= 220 mg/kg (Rat)	> 5000 mg/kg (Rat)	> 0.69 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Prolonged and repeated contact with skin may cause allergic reactions in some individuals.
Serious eye damage/eye irritation Can cause irritation after contact with the eyes.
corrosivity Not applicable.
sensitization No a skin sensitizer.
Germ cell mutagenicity No information available.
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl Butoxide 51-03-6		Group 3		
Tetramethrin 7696-12-0		Group 2A		X
Permethrin 52645-53-1		Group 2A Group 3		X

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration Hazard Not applicable.

FG 419-2177 KILL ZONE INDOOR AND OUTDOOR INSECT KILLER

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	52632 mg/kg
ATEmix (dermal)	21053 mg/kg
ATEmix (inhalation-gas)	7344 mg/l
ATEmix (inhalation-dust/mist)	54.7 mg/l
ATEmix (inhalation-vapor)	54 mg/l

12. Ecological Information

ecotoxicity

This pesticide is extremely toxic to aquatic organisms including fish and aquatic invertebrates Do not apply directly to or near water. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

See information listed below.

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates, hydrotreated light 64742-47-8		2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through		
Piperonyl Butoxide 51-03-6		7.07: 96 h Oncorhynchus mykiss mg/L LC50 semi-static		
Permethrin 52645-53-1		0.00049 - 0.00097: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.001 - 0.009: 96 h Pimephales promelas mg/L LC50 static 0.0017 - 0.0048: 96 h Oncorhynchus mykiss mg/L LC50 static 0.00188 - 0.00336: 96 h Lepomis macrochirus mg/L LC50 static 0.0052 - 0.0077: 96 h Cyprinus carpio mg/L LC50 0.008 - 0.03: 96 h Pimephales promelas mg/L LC50 flow-through 0.00079: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.0108: 96 h Lepomis macrochirus mg/L LC50 0.015: 96 h Cyprinus carpio mg/L LC50 flow-through		

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
Propane 74-98-6	2.3

FG 419-2177 KILL ZONE INDOOR AND OUTDOOR INSECT KILLER

n-butane 106-97-8	2.89
Permethrin 52645-53-1	6.5

Other adverse effects No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes Dispose of in accordance with federal, state and local regulations.

Contaminated packaging Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Piperonyl Butoxide 51-03-6	Toxic
Tetramethrin 7696-12-0	Toxic
Permethrin 52645-53-1	Toxic

14. Transport Information

DOT

UN/ID no	Limited Quantity
Proper Shipping Name	Consumer Commodity
Hazard Class	NA

IATA

UN/ID no	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1

IMDG

UN/ID no	UN1950
Proper Shipping Name	Aerosols, flammable
Hazard Class	2.1

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - *United States Toxic Substances Control Act Section 8(b) Inventory*
 DSL/NDSL - *Canadian Domestic Substances List/Non-Domestic Substances List*

US Federal Regulations

FG 419-2177 KILL ZONE INDOOR AND OUTDOOR INSECT KILLER

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
Piperonyl Butoxide - 51-03-6	51-03-6	0.75	1.0
Tetramethrin - 7696-12-0	7696-12-0	.15	1.0
Permethrin - 52645-53-1	52645-53-1	0.15	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			X
Propane 74-98-6	X	X	X
n-butane 106-97-8	X	X	X
Piperonyl Butoxide 51-03-6	X		
Tetramethrin 7696-12-0	X		
Permethrin 52645-53-1	X	X	

U.S. EPA Label information

EPA Pesticide registration number 498-183

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Harmful if absorbed through skin or inhaled.

16. Other information

FG 419-2177 KILL ZONE INDOOR AND OUTDOOR INSECT KILLER

<u>NFPA</u>	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection B - Eyes and hands protection

Prepared by Regulatory Department
Issue date 04-Dec-2023
Revision note
This SDS supersedes a previous SDS dated: 28-Jun-2019

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet